

Instructions for updating the Watermark Monitor

New firmware may be available to update your Watermark Monitor. You may download the Newest WaterGraph Software from our website. Please follow these instructions to update to the newest version of the operating firmware. It is recommended you download any data that may be in your Monitor before doing any upgrades to avoid possible loss of data. After uploading the firmware, the SETUP procedure should be performed again to relaunch your monitor.

Monitor firmware upgrading:

1. Open the WaterGraph software program. Use the most recent version that should accompany the firmware update you received.
2. Under the "Tools" pulldown menu, select "Update Datalogger"



3. Browse to C:\WaterGraph 3.4\FIRMWARE-OLD\wm-log33.HEX, or wm-log31.hex (depending on the Version of WaterGraph.)

**For DataLoggers 900M With Serial #'s Greater than 20000
DO NOT USE THESE FIRMWARES consult IRROMETER
for proper Version.**

4. The upload should proceed automatically. The Monitor will display "Caution Uploading." You will see the data bits counting as it is uploading and when it stops the upload will be complete.
5. If a problem is encountered during uploading, the procedure may stop. If so, then select the "File" menu choice "Recover Monitor Update" and the procedure will restart. You will have to select "Yes" to confirm the choice and will be prompted to perform a "Reset" on the Monitor.

